

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : 10/813,325 Examiner : Huynh GAU : 3751
 From: DF Location: (IDC) FMF FDC Date: 12/22/05

Tracking #: APP 10/813,325 Week Date: 11/21/2005

| DOC CODE | DOC DATE | MISCELLANEOUS |
|-------------------------------|----------|---|
| <input type="checkbox"/> 1449 | _____ | <input type="checkbox"/> Continuing Data |
| <input type="checkbox"/> IDS | _____ | <input type="checkbox"/> Foreign Priority |
| <input type="checkbox"/> CLM | _____ | <input type="checkbox"/> Document Legibility |
| <input type="checkbox"/> IIFW | _____ | <input type="checkbox"/> Fees |
| <input type="checkbox"/> SRFW | _____ | <input checked="" type="checkbox"/> Other <u>NOA 11/17/2005</u> |
| <input type="checkbox"/> DRW | _____ | |
| <input type="checkbox"/> OATH | _____ | |
| <input type="checkbox"/> 312 | _____ | |
| <input type="checkbox"/> SPEC | _____ | |

[RUSH] MESSAGE: Examiner's Amendment: In claim 31 Line 11:
Says to insert after "in proximity" in line 11. "in proximity"
is not in text of the claim.

Thank you.

[XRUSH] RESPONSE: In claim 31, line 11: after "shelf-like
structures" not "in proximity". Please make note.
Also Examiner's Amndmt: In claim 1 should be
In claim 22. please make note.

Thank you
 INITIALS: HN

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04